

GOZZO 48 CABIN

**EUROPEAN STANDARD EQUIPMENT GOZZO 48 CABIN - 2 CABINS, 2 BATHROOMS,
GALLEY IN THE LOWER DECK GALLEY**

EXTERIOR

HULL AND DECK

1700 W, 24 V reversible, electric winch with control in the main pilot station and at bow

Access gate at stern in fiberglass, manual opening

Access to the engine room with fiberglass hatch moved by nr.2 electric pistons

Aft sunbed with storage access door and cushions

Air intake in dinette

AISI 316 mooring cleats (2) at aft and (2) at bow

Anchor chain: 10 mm thick, 50 mt long

Antifouling

Berthing hook

Bow sunbed and fiberglass sofa with cushions

Fiberglass hull painted in white gelcoat

Fiberglass super structure painted in white gelcoat

Fire-extinguisher

Fresh water fill inlet plug

Horn for acoustic alarm

Manual foldway swim ladder in the stern platform

Nr. 1 wiper

Nr. AISI 316 fairleads (2) at bow

Nr.2 fuel fill inlet plug

Painted stripe and waterline (colour chosen by the customer)

Side windows dinette with manual opening

Stainless steel handrail

Stainless steel handrails on the deck

Steel mast with navigation lights

Stern shower with cold and hot water

Teak wood gunwale

Teak wood of cockpit and stern platform

Tempered glass front windscreen

Trefoil anchor – weight 20 kg

Waste deck filler

PILOT STATION

220 V socket + usb-c

Aluminium steering wheel covered in black leather

Black aluminium electronic instrument panels

Black painted fiberglass dashbord

Engine – control levers

Humphree trim tabs controls, winch control, bilge pumps switch, horn button, navigation lights switch, dashboard lights, cockpit lights switch, exhaust fans switch in engine room, wiper switch.

Hydraulic steering

Magnetic compass

Nr.1 Display Volvo Penta Garmin 12" with engine-monitoring function

Pilot seat with reversible backrest and cushions convertible into an additional module of the starboard sofa

VHF

INTERIOR

DINETTE

220 V sockets + usb-c

Furniture

Led lighting system

Sofa on portside with cushions

Sofa on starboard with cushions

Teak wooden floor

Vertical closure for dinette

White lacquered wooden cockpit table with steel support

GALLEY

220 V socket

Elm parquet floor

Furniture equipped with stainless steel, water tap and induction hob with two burners

Furniture with shelves holders and 130 lt fridge

Nr.2 storage furniture with shelves

Schuko socket

MASTER CABIN

220 V sockets + usb-c

Curtains

Double bed with opening storage, mattress, pillows and bedcover

Elm parquet floor

Led lighting system

Man step exit with blackout panel

Nr. 2 fixed windows on the hull

Nr. 2 wooden wardrobes

Upholstered ceiling

Wooden bulkheads

OWNER'S BATHROOM

220 V socket

Bathroom accessories: liquid soap dispenser, spare toilet roll holder, wall-mounted toilet brush holder, towel holder, clothes hanger (2)

Electric toilet

Elm parquet floor

Led lighting system

Mirror hanging cabinet

Nr.1 plexiglass opening porthole

Separated shower with glass doors and stainless-steel profile

Shower with seat and teak grating

Upholstered ceiling

Wooden bathroom cabinet with ceramic washbasin

GUEST'S CABIN

220 V sockets + usb-c

Bedside table

Curtains

Elm parquet floor

Led lighting system

N.2 single bed with mattress, pillows and bedcover

Plexiglass opening porthole

Upholstered ceiling

Wooden bulkheads

Wooden furnitures

Wooden wardrobe

GUESTS BATHROOM

220 V socket

Bathroom accessories: liquid soap dispenser, spare toilet roll holder, wall-mounted toilet brush holder, towel holder, clothes hander (2)

Electric toilet

Elm parquet floor

Led lighting system

Mirror hanging cabinet

Nr.1 plexiglass opening porthole

Separated shower with glass doors and stainless-steel profile

Shower with seat and teak grating

Upholstered ceiling

Wooden bathroom cabinet with ceramic washbasin

ENGINE ROOM

24 V water pump

40 lts boiler

Battery charger 24V/100 Ah

Electric manual bilge pump

Fresh water tank (400 lt)

Fuel filters for engines

Fuel system remote controls for emergency stop

Fuel tank level

Generator 3,5 kW

Nr. 1 generator battery (100 Ah)

Nr. 2 automatic bilge pumps

Nr. 2 engines on vibration-damping mounts, Volvo Penta D8-600 hp with inverter ZF286IV

Nr. 2 exhaust fan for engine room cooling

Nr. 2 steel fuel tanks (1600 lts in total)

Nr. 4 engine batteries (180 Ah)

Nr. 4 lights in engine room

Nr. 4 service batteries (180 Ah)

Soundproofing and heating insulation

Submersible engine exhaust

Waste water tank (77 lts)

SYSTEMS

200 V A.C. e 24 V D.C. electric system with electric panel and magnetothermic switch (lower deck)

Bilge water system: nr. 3 electric pumps in the engine room (nr.2 automatic and nr. 1 manual), nr.1 electric pump in interior compartment

Black water tank system

Cathode-operated protection system with zinc anodes

Electric wc system with fresh water operation

Fire-fighting system

Fresh water pump

Humphree flap system with hydraulic pump

PRELIMINARY DATA SHEET

1 PROPULSION

2 X VOLVOPENTA D8-600 - shaft line
2 X VOLVOPENTA IPS 700

2 SPEED

	VP D8-600		VP IPS 700
Maximum speed	30	knots	31
Cruising speed	24	knots	25

3 RANGE

	VP D8-600		VP IPS 700
Maximum speed	190	nautical miles	262
Cruising speed	235	nautical miles	320

4 MAIN DIMENSIONS

Length overall (LOA)	14,70	metri/feet	48 ft. 3 in.
Hull/homologation length	13,00	metri/feet	42 ft. 8 in.
Waterline length	12,55	metri/feet	41 ft. 2 in.
Maximum beam	4,70	metri/feet	15 ft. 5 in.
Draft	1,40	metri/feet	4 ft. 7 in.
Displacement unladen	14,0	ton./lb.	30865
Displacement laden	18,0	ton./lb.	39683
Max. number of persons on board	16		
Navigation/homologation category CE	B		

5 ADDITIONAL DATA

Variable geometry hull type with support skids

Maximum height for transportation	4,75	metri/feet	15 ft. 7 in.
Fuel tank capacity	1600	lt./US gals.	423
Fresh water tank capacity	400	lt./US gals.	106
Black water tank capacity	77	lt./US gals.	20

N.B. All data's are merely indicative, refer to a standard model, and therefore have no contractual value. Apreamare, in the light of a continuous improvement, reserves the right to change and/or update them at any time and without prior notice.